	Search Text
1	buffer near overrun
2	buffer near overrun same vulnerab$
3	buffer near (overrun or overflow) same attack
4	buffer near (overrun or overflow) same attack and hash
5	buffer near attack and hash
6	buffer near5 attack and hash
7	((buffer near5 attack) or (stack near smashing)) and hash
8	heash near3 stack
9	hash near3 stack
10	(denial near service) same (buffer near (overflow overrun))
11	secure near processor near register
12	secure nea3r processor near register
13	secure near3 processor near register
14	processor near register near3 access$4
15	processor near register near3 access$4 and @py<2000
16	processor near register near3 access$4 and @py<2000 and secure
17	scan near3 instal$4 near5 save$4
18	scan same instal$4 same save$4
19	buffer near overrun and 713/200.ccls.
20	buffer near overrun and 713/201.ccls.

	Type	Hits
1	BRS	360
2	BRS	4
3	BRS	121
4	BRS	43
5	BRS	1
6	BRS	36
7	BRS	36
8	BRS	0
9	BRS	48
10	BRS	25
11	BRS	1
12	BRS	789927
13	BRS	11
14	BRS	354
15	BRS	195
16	BRS	13
17	BRS	2
18	BRS	69
19	BRS	5
20	BRS	4

	DBs	Time Stamp
1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 14:31
2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 13:25
3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 13:26
4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 13:31
5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 13:33
6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 13:34
7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 13:49
8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 13:49
9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 15:00
10	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/14 15:01
11	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 13:04
12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 13:04
13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 13:09
14	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 13:09
15	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 13:10
16	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 14:08
17	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 14:09
18	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 14:09
19	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 14:31
20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/10/15 14:31

	Comments	Error Definition	Errors
1			0
2	rcvd full images		0
3	rcvd full images		0
4	rcvd full images		0
5	rcvd full images		0
6	rcvd full images		0
7	rcvd full images		0
8			0
9	rcvd full images		0
10	rcvd full images		0
11	rcvd full images		0
12			0
13	rcvd full images		0
14			0
15			0
16	rcvd full images		0
17	rcvd full images		0
18	rcvd full images		0
19	rcvd full images		0
20	rcvd full images		0

Google™

| how a stack works daterange:2449718-245 | **Search** | Advanced Search
Preferences |

The following words are very common and were not included in your search: **how a**.
[details]

Web   Results **1 - 10** of about **17,000** for **how a stack works daterange:2449718-2450814**. (0.53 seconds)

Level 3, lesson 11
3.11 Saving temporary values. We haven't shown you how the Return **Stack**
works just for the fun of it. Although it is an area that **...**
www.geocities.com/SiliconValley/Bay/2334/4thl3-11.htm - 6k - Cached - Similar pages

Shakespeare **Stack** Project
... about the Shakespeare **Stack** Project --- my effort, over the past four years, to
help students and scholars by proofreading and formatting the **works** of William **...**
www.alumni.caltech.edu/~zimm/shakespeare.html - 13k - Cached - Similar pages

Parallel Programming In C. Chap.VI
... The allocated **stack works** exactly the same way the default **stack** does, except
that the allocated **stack** is private to each parallel task. **...**
cs.smith.edu/~thiebaut/transputer/chapter6/chap6-4.html - 22k - Cached - Similar pages

[PDF] Access to the Intranet
File Format: PDF/Adobe Acrobat - View as HTML
... DLL or TCP/IP **stack**. This uni- versal TCP/IP **stack works** with any ISP and
universal client. Furthermore, it **works** over a network **...**
www.naspa.com/PDF/96/T9609020.pdf - Similar pages

Stack Computers: 1.2 WHAT IS A **STACK**?
... 1.2.1 Cafeteria tray example. As an example of how a **stack works**, consider a
spring-loaded tray dispenser of the type often found in cafeterias. **...**
www.ece.cmu.edu/~koopman/**stack**_computers/sec1_2.html - 8k - Cached - Similar pages

How the DWB HC System **Works**
... Hypercard Home **stack** is a script (message handler) that looks for the HyperCard
message, AppleEvent. When this message is received, this script goes to **work**. **...**
www.cci.unl.edu/Software/Enrol/About_HC_CGI_System.html - 5k - Cached - Similar pages

The other HTML FAQ
... This is syntactically invalid, but Netscape **works** around this by indenting
the line at this point. **...** This is not guaranteed to **work**. **...**
www.**stack**.nl/~galactus/html/other-faq.html - 22k - Cached - Similar pages

Stack Simulation Example
... **Stack** Simulation Example. Figure 23: How a **Stack Works**. A **stack** can be thought
of as a pile of things that can only be accessed from the top. **...**
www.liv.ac.uk/HPC/HTMLF90Course/ HTMLF90CourseNotesnode176.html - 5k - Cached - Similar pages

The CPU
... to pop them off again later. The **stack works** in a first in last out (LIFO)
basis. Processor Status (PS) Instructions may yield results **...**
www.science.unitn.it/~fiorella/ guidelinux/tlk/node8.html - 8k - Cached - Similar pages

[PDF] Using the RUMBA Gateway System with TCP/IP
File Format: PDF/Adobe Acrobat - View as HTML
... Technical Bulletin : Using the RUMBA Gateway System with TCP/IP 3705.DOC November
7, 1996 Page 3 Novell LWP 4.12 This **stack works** well using both the WLIBSOCK **...**
supportweb.netmanage.com/ ts_legacy/solution/pdf/Gateway/3705.pdf - Similar pages

Gooooooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Free! Get the Google Toolbar. Download Now - About Toolbar

| Google ▾ | | ▾ | 🐝 Search Web ▾ | 🔁 49 Pop-ups blocked | 📰 News | 📇 AutoFill | 🔏 |

how a stack works daterange:244 Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

Google

Web   Images   Groups   News   Froogle   **more »**

denial service buffer overflow hash stack d؛   Search   Advanced Search
Preferences

Web Results **1** - **10** of about **263** for **denial service buffer overflow hash stack daterange:2449718-2451998**

Defeating DDoS
... 2000, pp55-57. [11] KT Fithen, Internet **Denial** of **Service** Attacks and the ... [13] Field
Notice: 7xx Router Password **Buffer Overflow**; Revision 1: December 15 ...
www10.org/cdrom/papers/409/ - 57k - Cached - Similar pages

Computer Security: A Survey of Attacks and Defenses
... An attacker can break down a door (**buffer overflow** attack), pick a lock ... window
(configuration error), or burn down the building (**denial** of **service** attack). ...
www.cs.fit.edu/~mmahoney/ids.html - 69k - Cached - Similar pages

Securing Windows NT/2000 Servers for the Internet: Chapter 1 ...
... user can cause a crash (**denial** of **service**) and ... duck waiting for a new **buffer overflow**
attack (described ... connections from the Internet to your exposed **services**. ...
www.oreilly.com/catalog/securwinserv/chapter/ch01.html - 75k - Cached - Similar pages

[PDF] Hacking Windows NT
File Format: PDF/Adobe Acrobat - View as HTML
... com/cDc_files/cDc-351/) – A complete picture of **buffer overflows**, how they ... is not
authenticated, making it vulnerable to **Denial** of **Service** – The concern ...
www.nluug.nl/events/vj99/papers/looy.pdf - Similar pages

Problemi di sicurezza di Windows NT 4.0 - Dicembre 1999 - [Translate this page]
... MDaemon, il quale consente un attacco di tipo **buffer overflow**. ... **Denial**-of-**Service**
mediante Serv-U FTP-Server, versione ... A partire dal **Service** Pack 3 di Windows ...
security.polito.it/nt/dic99.htm - 48k - Cached - Similar pages

[PS] Concepts in Computer and Network Insecurity
File Format: Adobe PostScript - View as Text·
... this reduces a lot of the threats posed by **buffer overflows** that exploit ... connections),
a firewall needs a lot of memory to diffuse **denial**-of-**service** attacks. ...
snafu.mit.edu/~fubob/pubs/sec-concepts.ps - Similar pages

Hacking Lexicon
... or not. Key point: **Buffer overflows** are usually a **Denial**-of-**Service**
in that they will crash/hang a **service**/system. The most ...
www.linuxsecurity.com.br/info/general/hacking-dict.html - 101k - Cached - Similar pages

BEGIN PGP SIGNED MESSAGE----- Internet Security Systems Security ...
... 1.0, 2.0) Risk Factor: Medium Attack Type: Network/Host Based Dragon Server is
vulnerable to a **denial** of **service** caused by a **buffer overflow** in the ...
www.packetstormsecurity.org/ advisories/iss/summary/iss.summary.5.6 - 60k - Supplemental Result -
Cached - Similar pages

From advisories@ATSTAKE.COM Thu Oct 12 12:44:52 2000 From: "@stake ...
... that could result in execution of arbitrary code or a **denial** of **service**. ... our code
starts in earnest // mov esp,ebp **buffer**[count++]=0x8B; **buffer**[count++]=0xEC ...
www.attrition.org/security/ advisory/l0pht/atstake.00-10-12.all-mail - 9k - Cached - Similar pages

java.fh-wolfenbuettel.de/msql2/msql-2.0.9/doc/HISTORY
... floating point rounding problems with money values o Fixed **denial** of **service** attack
problem ... AND or an OR etc) o fixed leak of **overflow buffers** when deleting ...
30k - Cached - Similar pages

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Get the Google Toolbar. Download Now - About Toolbar

Google ▾ | [   ] ▾ | 🐾 Search Web ▾ | 🔁 49 Pop-ups blocked | 📰 News | 🗐 AutoFill | 🖉

[denial service buffer overflow has] [Search]

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google

Google™

Stackguard daterange:2449718-2451998   Search   Advanced Search
Preferences

Web   Results **1** - **10** of about **905** for **Stackguard daterange:2449718-2451998**. (**0.53** seconds)

Immunix StackGuard
StackGuard: Protecting Systems From Stack Smashing Attacks. ...
StackGuard development team and acknowledgments. What's New in
StackGuard 1.1. ...
www.cse.ogi.edu/DISC/projects/immunix/StackGuard/ - 5k -
Cached - Similar pages

Immunix StackGuard: Compiler
StackGuard Compiler: a gcc Enhancement. **StackGuard** is implemented as a patch to the
GNU gcc compiler, version 2.7.2.3. For most purposes ...
www.cse.ogi.edu/DISC/projects/ immunix/StackGuard/compiler.html - 5k -
Cached - Similar pages
[More results from www.cse.ogi.edu]

PHRACK MAGAZINE - Volume 0xa Issue 0x38 05.01.2000 0x05[0x10] ...
- PHRACK MAGAZINE - Volume 0xa Issue 0x38 05.01.2000 0x05[0x10] |--- BYPASSING
STACKGUARD AND STACKSHIELD ...
www.phrack.org/phrack/56/p56-0x05 - 31k - Cached - Similar pages

Immunix StackGuard: Penetration and Performance Data
StackGuard: Performance Data. ... The results shown in this table indicate that
StackGuard overhead is virtually unnoticable. Apache **StackGuard** Overhead. ...
immunix.org/StackGuard/performance.html - 9k - Cached - Similar pages

StackGuard
StackGuard. Crispin Cowan crispin@cse.ogi.edu Fri, 03 Jul 1998 12:56:42 -0700: ...
StackGuard-protected programs work out-of-the-box with existing libraries. ...
honor.trusecure.com/pipermail/ firewall-wizards/1998-July/003051.html - 8k -
Cached - Similar pages

StackGuard
StackGuard. Joseph SD ... btw did anybody look at **StackGuard** close enough to tell if it
could be > functional on *BSD systems? The cited ...
honor.trusecure.com/pipermail/ firewall-wizards/1998-July/003109.html - 4k -
Cached - Similar pages
[More results from honor.trusecure.com]

IMMUNIX CANARY LIBRARY -- A buffer overflow exploit detector ...
See "<a href="<a href="<a href="http://www.cse.ogi.edu/DISC/projects/immunix/
StackGuard/">http://www.cse.ogi.edu/DISC/projects/immunix/**StackGuard**/</a ...
www.ussrback.com/UNIX/utilities/ **stackguard/stackguard**-lib.README - 5k -
Cached - Similar pages

Linuxexpo 1999: Day 4: Protecting Systems from Stack Smashing ...
Day 4: Conferences: Protecting Systems from Stack Smashing Attacks with **StackGuard**.
Stackguard was developped in a university by students. ...
marc.merlins.org/linux/linuxexpo99/ Day4/Conferences/Stackguard.html - 3k -
Cached - Similar pages

Re: stackguard-like embedded protection

... Re: **stackguard**-like embedded protection. To: VULN-DEV@SECURITYFOCUS.COM;
Subject: Re: **stackguard**-like embedded protection; From: Crispin Cowan
<crispin@WIREX.COM ...
cert.uni-stuttgart.de/archive/ vuln-dev/2000/09/msg00111.html - 7k - Supplemental Result -

a/stackguard
Date: Tue, 9 Nov 1999 13:44:13 -0800 From: Crispin Cowan <crispin@CSE.OGI.EDU>
Subject: ImmuniX OS Security Alert: **StackGuard** 1.21 Released To: BUGTRAQ ...
www.changelog.net/http/ lwn.net/1999/1111/a/**stackguard**.html - 6k -
Cached - Similar pages

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Get the Google Toolbar. Download Now - About Toolbar

Google ▾ [   ] ▾ | 🔍 Search Web ▾ | 🔲 49 Pop-ups blocked 📰 News 📋 AutoFill ✏️

Stackguard daterange:2449718-   Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

Google™

stack random overflow | Search | Advanced Search
Preferences

Web

Results **1 - 10** of about **57,300** for <u>stack random overflow</u>. (0.44 seconds)

[Gcl-devel] **(random** tester) Unrecoverable error: value **stack ...**
... [Gcl-devel] **(random** tester) Unrecoverable error: value **stack overflow.** ... Subject:
[Gcl-devel] **(random** tester) Unrecoverable error: value **stack overflow.** ...
lists.gnu.org/archive/html/ gcl-devel/2003-11/msg00065.html - 7k - <u>Cached</u> - <u>Similar pages</u>

NETSYS.COM - The Intelligent Hacker's Choice! NetBSD (port sparc) ...
... Holo.Rodents.Montreal.QC.CA>; Subject: kernel **stack`overflow;** ... to an emergency backup
kernel **stack,** then panic. ... References: Re: **random** signals kill my processes ...
www.netsys.com/netbsd-port-sparc/1997/01/msg00280.html - 11k - <u>Cached</u> - <u>Similar pages</u>

Re: Buffer **overflow** prevention
... things as **random** memalic bases and **random** tcp stacks ... PAX flags for indidual binarys
that may need executable **stack).** ... then a attacker trying to **overflow** a return ...
cert.uni-stuttgart.de/archive/ bugtraq/2003/08/msg00175.html - 9k - <u>Cached</u> - <u>Similar pages</u>

    Re: A way to prevent buffer **overflow** exploits? (was: "Any user can
    ... StackGuard, on the other hand, will detect any buffer **overflow** that corrupts the
    return ... See: > > http://www.greenend.org.uk/rjk/**random-stack**.text > > for a semi ...
    cert.uni-stuttgart.de/archive/ bugtraq/1998/08/msg00032.html - 8k - <u>Cached</u> - <u>Similar pages</u>
    [<u>More results from cert.uni-stuttgart.de</u>] .

[python-Bugs-1019129] "rich comparison" methods hide **stack ...**
... message: [python-Bugs-1019129] "rich comparison" methods hide **stack overflow;**
Next message: [python-Bugs-1023453] script which sets **random.**seed still ...
mail.python.org/pipermail/ python-bugs-list/2004-September/025148.html - 6k - <u>Cached</u> - <u>Similar pages</u>

Stack Protection Method
... device, which name is /dev/urandom or /dev/**random.** ... **stack**-smashing attacks, we change
the **stack** location of ... Only character arrays can cause the buffer **overflow.** ...
www.trl.ibm.com/projects/security/ssp/node4.html - 16k - <u>Cached</u> - <u>Similar pages</u>

port-sparc: Re: **random** signals kill my processes with -current
Subject: Re: **random** signals kill my processes with -current To: Chris G ... Demetriou"
writes: > > Wouldn't it be superior to detect and prevent the **stack overflow?** ...
mail-index.netbsd.org/port-sparc/1997/01/27/0006.html - 3k - <u>Cached</u> - <u>Similar pages</u>

Linux-Kernel Archive: Re: Unexecutable **Stack** / Buffer **Overflow ...**
... Theodore Y. Ts'o: "Re: Unexecutable **Stack** / Buffer **Overflow** Exploits ... at the beginning
of the program to move the **stack** by some variable **(random)** amount is ...
www.ussg.iu.edu/hypermail/linux/kernel/9912.3/0668.html - 6k - <u>Cached</u> - <u>Similar pages</u>

    Linux-Kernel Archive: Re: Unexecutable **Stack** / Buffer **Overflow ...**
    ... Ts'o wrote: > Subject: Re: Unexecutable **Stack** / Buffer **Overflow** Exploits ... beginning
    of the > program to move the **stack** by some variable **(random)** amount is ...
    www.ussg.iu.edu/hypermail/linux/kernel/9912.3/0672.html - 8k - <u>Cached</u> - <u>Similar pages</u>
    [<u>More results from www.ussg.iu.edu</u>]

**Stack**-smashing protection - Wikipedia, the free encyclopedia

... a buffer and control data on the **stack** to monitor ... will clobber the canary, making the **overflow** evident ... types of canaries in use: Terminator, **Random**, and **Random** ...
en.wikipedia.org/wiki/Stack-smashing_protection - 26k - Cached - Similar pages

Goooooooooogle ▶

Result Page: **1** 2 3 4 5 6 7 8 9 10   **Next**

Free! Get the Google Toolbar. Download Now - About Toolbar

| Google ▾ [▾] | 🔍 Search Web ▾ | 🖵 49 Pop-ups blocked   📰 News   📋 AutoFill   ✎ |

| stack random overflow | Search |

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2004 Google